



Skyfol

Tool catalogue


Professional tools for car wrapping,
window tinting and PPF applications

2026



SURFACE PREPARATION CUTTING INSTALLATION

OTHER TOOLS CERAMIC COATINGS SURFACE CARE





SMT-1100 | AVERY SURFACE CLEANER

Looking for a universal cleaner that leaves no residue on the surface? Avery Surface Cleaner is a high-performance cleaner that enables you to remove all kinds of residue in one single action, including dirt, wax, tectyl, light silicone, cock-pit sprays, and more. A highly user-friendly cleaner, it can also be used for removing small adhesive residues from surfaces.



SMT-1101 | AVERY ADHESIVE REMOVER

Never said that this stuff is cheap, but it works. The Avery Adhesive Remover is a high-performance cleaner designed to make sure that substrates are adhesive-free when graphics are removed.



SMT-1130 | ORGANIC SURFACE CLEANER 0,75 L

The Organic Cleaner products have been developed to assure the least exposure to harmful chemicals of our fellow installers. Our aim when developing the Organic Cleaner family was to find a much more installer friendly solution for cleaning. A concentrated surface cleaner with high ethanol content for removing severe contamination. Evaporates quickly leaving a perfect surface prior to installation.



SMT-1107 | SOTT SURFACE CLEANER II 1 L

SOTT Surface Cleaner II is a high-performance, universal surface cleaner that quickly and effectively removes stubborn contaminants. It not only handles everyday stains with ease, but is also ideal for removing wax, tectyl, silicone, silicone spray, and minor adhesive residues.




SMT-1132 | ORGANIC SURFACE CLEANER 5 L

A more economical 5 l version of the SMT-1130 Organic Surface Cleaner.



SMT-1133 | TAP

This tap will make it easier to pour the cleaning liquid from 5 l Organic Surface Cleaner cans.



SMT-1134 | PUMP

This pump will make it easier to pour the cleaning liquid from 5 l Organic Surface Cleaner cans.



C-COAT PREWASH

Slightly alkaline with extremely effective cleaning power, available in 0.473 l and 4 l sizes. It excellently loosens dirt but doesn't harm the paint or previously applied ceramic coatings at all. Apply to the dry car with a foam sprayer, then rinse from bottom to top.



C-COAT SHAMPOO

Extremely concentrated foam shampoo available in 0.473 l and 4 l sizes. It has a neutral pH and is particularly recommended for use before vehicle wrapping. Leaves no residue on the surface. Apply to the wet car, wash by hand, then rinse from top to bottom.



C-COAT APC

An efficient, versatile cleaner for car care, offering a wide range of uses on both interior and exterior surfaces. It can be applied to metal, plastic, dashboard elements, leather, rubber, and even textiles. Available in 0.473 l and 4 l sizes. Great for cleaning interiors, door jams, luggage area and engine log area.



C-COAT SURFACE PREP

Surface preparation degreaser for car wrapping and ceramic coating application, which is alcohol-free. It leaves behind a perfect, streak-free shine and works excellently on glass as well. Available in 0.473 l and 4 l sizes.



C-COAT BUG OFF

The C-Coat Bug Off is an extremely effective insect remover that easily dissolves organic contaminants. It should be used without dilution. It can be safely used on paintwork, car wraps, and paint protection films. Never use under direct sunlight or on a hot surface. Rinse after 3 minutes.



EWOCAR TAR REMOVER

A fast and effective cleaner against tar, grease, adhesive, and bitumen stains.



C-COAT IRON

A flash rust remover that effectively dissolves and removes contamination caused by airborne metal particles (e.g. brake dust) from paintwork and other surfaces.



NEW

C-COAT TOTAL REMOVER

C-Coat Total Remover is an innovative, surface-safe cleaning and preparation agent developed specifically for thorough yet safe cleaning of vehicle exterior surfaces. It effectively removes various protective layers and contaminants—including sealants, factory wax, and previous ceramic coatings—without damaging the surface.

Thanks to its special formulation, it can loosen and remove old ceramic coatings even without machine polishing. The product gently breaks down coating residues, ensuring perfect adhesion for a new ceramic coating or any other chosen protective layer.

Use on all edges with a brush for surface preparation in the car cleaning process before PPF installation.

It is especially recommended for matte finishes and for areas where machine polishing is difficult or not advised. Safe to use on all surfaces. Its use guarantees professional results.



NEW

GYEON DEGREASE TABS

Gyeon Degrease Tabs is a concentrated degreasing solution in tablet form. Its formula ensures the quick and effective removal of oils and polishing residues left on the surface after the polishing stage—on paint, plastic, or glass surfaces alike.



NEW

C-COAT GLASS PAD

A sanding disc for a polishing machine. It allows you to easily remove stubborn, greasy contamination and silicone residues from glass surfaces. Washable and reusable. Features a hook-and-loop backing for universal fit.



NEW

C-COAT GLASS BAR

An applicator block for glass polishing, designed for edges and corners that are difficult to reach with a polishing machine. 4 pcs/pack



NEW

C-COAT GLASS POLISH

It effectively removes stubborn deposits, oxidation, and contamination adhered to the glass that regular window cleaning cannot eliminate. It removes fine hairline scratches. Streak-free, perfectly clean glass for improved visibility, especially in rainy conditions.




C-COAT CLAY BAR COARSE

Hard clay used to remove burnt-on dust from the bodywork without damaging the paint. It should be used wet with clay water.



C-COAT CLAY BAR FINE

Fine clay used to remove burnt-on dust from the bodywork without damaging the paint. It should be used wet with clay water.



C-COAT CLAY MITT

Professional clay mitt for a more efficient cleaning process.



C-COAT CLAY TOWEL

Clay towel that quickly and effectively removes surface contaminants.



C-COAT CLAY WATER

Clay lubricant available in 0.473 l and 4 l sizes. Ideal formula for cleaning clay bars, clay towels, and clay mitts. Provides proper lubrication, ensuring quick and safe work with clay, keeping it scratch-free throughout. Should be used with gloves.



C-COAT DRYING TOWEL

Extremely efficient absorbent cloth that quickly and streak-free dries your car. Easy to clean and extremely durable.



C-COAT WIPER RED
C-COAT WIPER BLACK

High-quality microfiber cleaning cloth available in red and black colors. 400 GSM



C-COAT WASH MITT

The indispensable washing glove, which can be easily slipped onto the hand for use. Its gentle material does not damage the paint, the foil, or the ceramic coating. It is easily cleaned after use and extremely durable.



C-COAT TOWEL

Universal microfiber cleaning cloth for interior and exterior cleaning. 300GSM 40x40 cm, 20 pieces/pack.



C-COAT GLASS TOWEL

Water-repellent cloth specially developed for car windows for streak-free shine. Safe to use, it does not scratch the surface. Easy to clean and extremely durable.



C-COAT DETAILING TOWEL

A soft microfiber towel suitable for every stage of car care. 420GSM, 40x40 cm



C-COAT WIPER GRAY

A top-quality microfiber towel for coatings. 300GSM, 40x40 cm



C-COAT WHEEL WOOLIES

Multifunctional wheel and rim cleaning brush with wool head, available in three different sizes to ensure thorough removal of all dirt.



C-COAT BRUSH

High-quality multifunctional car care brushes that can be used wet or dry. Ideal for the most sensitive areas, both for detailed exterior and interior cleaning. Comes in a set of 5 different sizes.



C-COAT TIRE & CARPET BRUSH

An excellent tool for cleaning tires and upholstery materials, its ergonomic design allows for quick and easy use, while its non-slip handle ensures safe operation.



C-COAT AREA DETAIL BRUSH

A brush recommended for efficient and quick cleaning of larger surfaces, featuring an ergonomic, rubberized handle, extra soft bristles, and a metal-free structure, making it safe for use on sensitive surfaces. It comes with a drying and storage stand.



SMT-1200 | VICTORY SCRAPER, STRAIGHT 150 MM

The Victory scraper is made in Polypropylene reinforced by glass fiber and is equipped with a double edge carbon steel blade. When the scraper is not in use the blade is protected by an ergonomic cover.

SMT-1202 | CARBON STEEL BLADE

A double-edge, economical carbon steel blade. Replacement blades for SMT-1200.

SMT-1202 HD | TRIUMPH CARBON STEEL BLADE

25 pcs / pack, 15 cm. Double-edged carbon steel blade, ideal for removing adhesive residue and other contaminants from glass surfaces.



SMT-1202 SS | TRIUMPH STAINLESS STEEL BLADE

25 pcs / pack, 15 cm. Double-edged stainless steel blade, ideal for removing adhesive residue and other contaminants from glass surfaces.

SMT-1201 | VICTORY SCRAPER 80 MM

8 cm wide scraper for window cleaning, specifically developed for automotive application, comes with carbon steel blade.

SMT-1205 | CARBON STEEL BLADE

10 pcs / pack, 8 cm. Double-bladed carbon steel blade for product SMT-1201.



SMT-1210 | HEAVY DUTY RAZOR

Metal cased, 4-cm glass scraper.

SMT-1213 | 1" BLADE AID PLASTIC SCRAPER

Plastic handle for any 1" blade.

SMT-1214 | TRIUMPH RAZOR SCRAPER

Plastic handle, ergonomically designed, 5 cm wide blade with a straight head.



SMT-1206 | SOTT THE WIDE GRIPPER 10 CM BLADES WITH WIDE PLASTIC BLADES

All kinds of dirt and glue residue can be quickly and efficiently removed from sensitive surfaces with this 10 cm wide plastic blade. Its advantage is that it does not scratch or rust. A spare blade is available, product code is SMT-1207.

SMT-1207 | SOTT REFILL FOR "THE WIDE GRIPPER"

10 cm wide spare blade for SMT-1206 „The Wide Gripper“ plastic blade, 25pcs / pack.

SMT-1208 | DOO-DAD MULTI-FUNCTIONAL SCRAPER

A plastic scraper with a rounded tip. Perfect for lifting/prying rubber seals, plastic parts, and other components. Thanks to its material, it does not damage the surface, so it can also be used to scrape glass surfaces or to gently remove stickers.



SMT-1211 | CARBON STEEL BLADE

Single edge carbon steel blades into SMT-1210 and SMT-1213. Pack of 100 pieces.

SMT-1212 | PLASTIC BLADE

Plastic blade for the SMT-1210 tool. Perfect for removing adhesive and film from delicate surfaces. Pack of 100.



SMT-1212O | DOUBLE EDGE PLASTIC RAZOR BLADES (ORANGE COLOR)
SMT-1212W | DOUBLE EDGE PLASTIC RAZOR BLADES (WHITE COLOR)
SMT-1212G | DOUBLE EDGE PLASTIC RAZOR BLADES (GREY COLOR)

Perfect for removing adhesive and leftover film from surfaces that can be easily damaged. Pack of 100.



SMT-3141 | GATOR BLADE I
Plastic tool for film removal, with an ergonomic handle.



SMT-3142 | GATOR BLADE II
Plastic tool for film removal, with an ergonomic handle.



SMT-1300 | UNGER PRO HANDLE
Universal, rubber-coated squeegee handle. It works with many different squeegee blade attachments: Clear Max, Blue Max, Blue Squeegee Blade and the regular squeegee blade with the soft rubber insert in the stainless steel channels.



SMT-1301 | ERGONOMIC UNGER PRO HANDLE
Features a spring mechanism for quick changing of blades. Very comfortable handle to work with.



SMT-1304 | REPLACEMENT SQUEEGEE BLADE 3,5 METER
Replacement blades for unger squeegee channel, used for window cleaning, not installation.



SMT-1302 | UNGER SQUEEGEE AND CHANNEL 15 CM
Stainless steel channel and soft rubber squeegee blade, ca. 15 cm.



SMT-1306 | UNGER SQUEEGEE AND CHANNEL 30 CM
Stainless steel channel and soft rubber squeegee blade, ca. 30 cm.



SMT-1303 | UNGER SQUEEGEE AND CHANNEL 45 CM
Stainless steel channel and soft rubber squeegee blade, ca. 45 cm.



SMT-3267 | YELLOTOOLS YELLOBLADE ORANGE
Well-slideable scraper blade that is soft enough not to damage the paintwork. It fits perfectly into the SMT-3266 handle.



SMT-3268 | YELLOTOOLS YELLOBLADE HANDLE MINI
If you need to remove a small sign or something from a hard-to-reach area, this small tool will help greatly.



SMT-3269 | YELLOTOOLS YELLOBLADE 360
Removing film is the most dreadful task a decorator can imagine. This tool will be a great help.



SMT-3266 | YELLOTOOLS YELLOBLADE HANDLE
Finally, a handled squeegee for comfortable and fast vinyl removal.



SMT-1410 | DOORHANDLE REMOVER
The DoorHandle Remover is an indispensable tool for removing door handles.



SMT-1411 | GRABHANDLE REMOVER
This multitool is indispensable when it comes to removing handles and many other attachments on vehicles.



SMT-1312 | WATER SQUEEGEE
Soft 36 cm silicone water blade, ideal for removing water from the vehicle body during the dust removal process before PPF installation.



SMT-1235 | GREEN WATER BLADE
A soft 25 cm rubber squeegee. It makes it easy to remove excess water even from larger surfaces. Thanks to its curved shape, it leaves no streaks, ensuring a perfect result every time.




SMT-1403 | EMBLEM REMOVER
Used to help you easily remove emblems and other signs. The cutting tape can be fixed into the handles, and it will not damage the paintwork. Shipped with 100 cutting tapes.



SMT-1404 | MOLDING & TRIM REMOVAL KIT 5 PIECES
Plastic molding and trim removal kit, 5 pieces.



SMT-1405 | MOLDING & TRIM REMOVAL KIT 11 PIECES
Plastic molding and trim removal kit, 11 pieces.



SMT-1408 | SOTT SCOTCH-BRITE SCRUBBER - THIN
This pro-quality scourer works very well for the removal of tough dirt and little bumps on car and home windows. The sponge is less than an inch thick.

SMT-1409 | SOTT SCOTCH-BRITE SCRUBBER - THICK
This large scrub pad is perfect for glass cleaning. It works very well for the removal of tough dirt and little bumps on car and home windows. Because of its size, it is easy to use.



C-COAT MAGIC SPONGE
A universally usable white cleaning sponge. It instantly removes dirt, stains, and streaks from interior surfaces, and can also be used for cleaning vehicle wrapping film.

SMT-1402 | 3M SCOTCHBRITE SCRUBBING SPONGE
Non-scratch scrub sponge perfect for leaning any surface you want that will not scratch the surface when wet. Ideal for cleaning shop windows, glass, plastics, etc. Also, it removes adhesive residues, too!



SMT-2100 | OLFA SILVER 2
The universal knife of any tint or wrap shop with stainless steel handle. Designed for either left or right-handed use.



SMT-2101 | OLFA XA-1
An ergonomic knife with a comfortable rubber grip.



SMT-2102 | OLFA SPC-1
Always leaving your knife in the car? Then perhaps you should try this economy knife with plastic handle.



SMT-2103 | OLFA ES-1/ GREEN
Caring for the environment? All plastic parts made from 100% recycled materials
HINT: This knife has a thick plastic casing making it slidable on vinyl. This is very useful for wrapping jobs.



SMT-2104 | OLFA 180 BLACK
Steel-cased knife used for light duty cutting jobs.



SMT-2105 | OLFA PA-2
Never run out of blades. 9 mm multi-blade knife, it holds up to 5 blades. That's 65 new cutting segments per load.
HINT: Being up on the scaffold or hanging on a rope, it can be very useful if you have a multi-blade knife in your hands.



SMT-2111 | NT PRO A-1
Regarded by many installers as the finest professional knife available. The blade can be advanced in 1/2 segment increments for precision control.



SMT-2113 | OLFA A2 9MM KNIFE
9 mm utility knife with metal casing and a plastic handle.




SMT-2114 | NT A553P KNIFE
Knife with a plastic casing which is well-slideable and which does not damage the car body. Multiple blades can be fixed in the handle, so you do not have to worry about changing the blades.

**SMT-2106 | OLFA SILVER 1 KNIFE**

The universal knife of any tint or wrap shop with stainless steel handle. Designed for either left or right-handed use.

SMT-2107 | OLFA SAC-1 KNIFE

This stainless-steel cutter features an ultra-slim design and a 30° angled blade. It is a popular choice with professional graphic artists and sign-making professionals.

**SMT-2110 | NT PMGA-EVO 2**

Premium grade knife from NT Knives. Heavy duty stainless steel casing, blade can be adjusted with increased precision. Ideal for wrapping and PPF cutting with our 30° blades.

SMT-2209 | BLADE FOR SMT-2110 BA-15P

NT Cutter, a Japanese premium manufacturer's 30° angle blade with reinforced edge. 10 pcs/box.

SMT-2210 | STAINLESS STEEL BLADE BA-50SS


NT Cutter, a Japanese premium manufacturer's stainless steel blade for car window tinting, it is for those who are not delighted with Olfa. 50 pcs/box.

**SMT-2123 | BODYGUARD KNIFE TEFLON**

The perfect knife to prepare car wrapping and decorative films, designed specifically to cut the liner without damaging the adhesive or the film itself. This teflon-coated knife is slidable along the adhesive without leaving any marks or lines. Replacement blades: SMT-2208.

SMT-2208 | YELLOTOOLS TITANBLADES BODYGUARD

Extra sharp titanium edge blades from Yellotools, suits SMT-2123, 10 pcs/box.

**SMT-2200 | LUTZ TITAN BLADE 60°**


Special 60° titanium blade from Solingen. It is the sharpest blade in the industry, specifically recommended for cutting PPF, and also to have any cut more aesthetic, precise and professional. Pack of 10.

HINT: Many installers like this blade as it will not wrinkle the film even when it's hot. Once you try it, you can forget about all other blades.

**SMT-2201 | LUTZ TITAN BLADE 30°**

30° blade that makes it possible to cut with very gentle pressure, and because of its small angle, also to easily cut in a curve. Primarily recommended for precision cuts. Pack of 10

HINT: Great for small precision cuts during car wraps. For longer cuts, use the larger angle blade instead.

**SMT-2130 | AEROBLADE PRECISION KNIFE**

AeroBlade is an innovative, safe precision cutting tool with an adjustable cutting width, designed for accurate, damage-free trimming of films installed on vehicles, making installers' work easier.

SMT-2215 | AEROBLADE

Replacement blade for SMT-2130, 10 pcs/pack.

CUTTING



SMT-2205 | OLFA SS BLADE

Standard-duty stainless steel snap-off replacement blades. 50 pcs/box.

SMT-2213 | OLFA SAB-10

Carbon steel, breakable 9mm replacement blades with a 30° bevel angle. 10 pcs/box.

SMT-2206 | OLFA EXCEL BLACK CS BLADE

Exclusively designed for maximum cutting performance. 50 pcs/box.



SMT-2400 | MAGNETIC SNAP BLADE CAGE (FIT FOR 9MM 30°, 60° ANGLE BLADE)

Magnetic blade breaker.

SMT-2401 | ALUMINIUM TRASH BLADE CONTAINER (FIT FOR 9MM, 18MM, 30°, 60° ANGLE BLADE)

Tired of having pieces of blades lying on the floor? Use this pocket-sized aluminum alloy tool to break blades quickly and safely.

SMT-2402 | YELLOTOOLS BLADEBREAKER II

Do away with pieces of blades lying around, this tool will keep them safely in one place.



SMT-2417 | BLADEBREAKER PRO

The enlarged breaking edge makes blade snapping easier, while the rubber-coated box resists impacts. A detachable magnet in the bottom compartment collects blade fragments and tips.

SMT-2403 | YELLOTOOLS WRAPSLIPCUT CLIPPER

A tool designed to make parallel cuts along curves.

SMT-2404 | YELLOTOOLS CUTGRIP

Universal handle for knives, for both the left- and right-handed.

CUTTING



SMT-2413 | WRAP DEFENDER

A special knife that will change the way you work and reduce damage to vehicle paintwork, sealing rubbers or unpainted attachments.

SMT-2120 | AVERY SNITTY

The Snitty is a mini-slitting tool, used for cutting self-adhesive material.

SMT-2214 | MARTOR BLADE

An SMT-2120 blade for use in a Snitty vinyl cutter. 10 pcs/box.



SMT-2122 | SNITTY VINYL CUTTER

Compact cutting tool for cutting self-adhesive materials.

SMT-2204 | BLADE FOR SMT-2122

Blades compatible with the Avery Snitty vinyl cutter. 10 pcs/box.



SMT-2408 | YELLOTOOLS SAFETYRULER CLASSIC 50 CM SMT-2409 | YELLOTOOLS SAFETYRULER CLASSIC 150 CM

Aluminium ruler with special design that protects the fixing hand from getting cut. The bottom is coated with rubber in order to avoid sliding of the ruler.

SMT-2410 | METAL TRIANGLE RULER


Triangle-shaped metallic rule with 45 and 90° corners and built in circles.

**SMT-2421 | YELLOTOOLS WRAPTROOPER**

WrapTrooper is a practical precision cutting aid that enables accurate and consistent cuts.

SMT-2422 | PRECISION CUTTING AID

A practical cutting aid that enables accurate and consistent cuts. Thanks to its magnet, it can be easily attached to metal surfaces, providing stable and precise guidance during cutting. The package contains two pieces, allowing it to be used on multiple edges or directions at the same time.

**SMT-2412 | SENSORCUT FLEXI**

A tool for cutting reverse parking sensor templates, for diameters between 13–25 mm.

SMT-2419 | PROCORNER TOOL

Procorner tool for PPF cutting for small corners, angles and parking sensors.

**SMT-2405 | YELLOTOOLS WRAPBEND-IT FLEXIBLE WIRE**

It copies the contours and outer dimensions of shapes and transfer them to the film.

SMT-2406 | FINELINE 6MM x 33M

Matt polypropilene masking tape, easy to form, taking up curves easily and not breaking. Makes cutting safer.

SMT-2407 | FINELINE 3MM x 33M

Matt polypropilene masking tape, easy to form, taking up curves easily and not breaking. Makes cutting safer.

**SMT-2302 | KNIFELESS TAPE DESIGN LINE 50M**

Allows stretching, follows contours and turns easily in any direction. Excellent for creating designs & stripes with no extra steps required to achieve a perfect cut.

SMT-2305 | KNIFELESS TAPE PRECISION LINE 50M


Precisely and efficiently cut through graphic film without a knife and without surface damage to create a clean cut.

**SMT-2310 | WRAPCUT 3MM X 60M**

WrapCut edge cutting tapes were designed for cutting decorative and car wrapping films without a knife. SMT-2310 has a 3mm wide, red, low adhesive tape, and out of the WrapCut range, SMT-2310 is the most suitable for cutting curves. With the fine cutting filament always at the very edge of the tape, WrapCut prevents errors in cutting location, producing a perfect cut every time.

SMT-2311 | WRAPCUT PRO 4MM X 45M

WrapCut edge cutting tapes were designed for cutting decorative and car wrapping films without a knife. SMT-2311 has a 4mm wide, white, strong adhesive tape. Its fiber cutting filament is stronger than that of SMT-2310. The significant increase in adhesive strength permits positive attachment to difficult surfaces and creates instant tack to the surface but lifts cleanly and easily for re-positioning.

**SMT-2312 | WRAPCUT WIRE 4MM X 45M**

WrapCut cutting tapes have been developed for bladeless cutting of advertising graphics and vehicle wrapping films. The SMT-2312 WrapCut WIRE cutting tape is 4mm wide, white in color, and is attached to adhesive tape with stronger adhesion. WrapCut Wire is a robust metal strip specifically designed for reflective, paint protection, and other difficult-to-cut films.



SMT-3100 | AVERY SQUEEGEE PRO

The Squeegee Pro is a medium flex squeegee, and a highly effective tool for flat or slightly curved surfaces. A great choice for vehicle wraps and day-to-day applications like wall panels.

SMT-3101 | AVERY SQUEEGEE PRO FLEXIBLE

The Squeegee Pro Flexible is a softer and more flexible version of the SMT-3100, an excellent choice for curved applications such as wheel arches and car bonnets / bumpers.

SMT-3102 | AVERY SQUEEGEE PRO RIGID

The Squeegee Pro Rigid is the most rigid squeegee in Avery Dennison's collection, specially designed for flat application of thick and rigid high-performance products, such as Conform Chrome films.



**SMT-3103 | 3M GOLD
SMT-3104 | 3M BLUE**

3M Blue and Gold Squeegees are used for applying window film, vinyl graphics, paint protection films and vehicle wrap films. The blue squeegee is softer, while the gold is harder.

SMT-3108 | PURPLE SQUEEGEE

A squeegee specifically developed for the installation of air channel paint protection films. It glides smoothly over the surface of the film, while its material is soft enough to be easily used on curved surfaces. It is not only recommended for air channel paint protection films but is also ideal for working with other types of films.

SMT-3110 | ERGONOMIC PLASTIC FILM INSTALLER SQUEEGEE SET, 3 DIFFERENT HARDNESSES

The package includes three squeegees of different hardness levels (70, 80, and 90 durometer), suitable for varying needs. Thanks to its ergonomic design, it ensures comfortable working conditions.



SMT-3121 | UNIVERSAL SQUEEGEE

Basic, 4" bondo card for multiple uses. This universal card features a firm flex and can be used on window film, vinyl graphics, paint protection films and vehicle wraps.

SMT-3126 | GREEN SOFT FLEX SQUEEGEE

A unique squeegee made from the mixture of rubber and plastic, with outstanding flexibility. Especially applicable with curved surfaces.

SMT-3204 | SOTT ROLLERPRO


Rollepro is an excellent help if you need to laminate the film on an uneven surface: its hard spongy surface takes on any shape while providing even pressure. It is very useful for fast work on shabby surfaces, recesses (e.g. brick wall), rivets or extremely textured films (e.g. Cover Styl ,Glitter).



**SMT-3122 | YELLOTOOLS PROWRAP BLUE 62" TRAPEZOIDAL SQUEEGEE
SMT-3123 | YELLOTOOLS PROWRAP GREEN 40" SOFT, TRAPEZOIDAL SQUEEGEE**

The ProWrap Blue Squeegee is more suitable for car wrapping due to its trapezoidal shape. 62 „hardness, 40 „hardness

Recommended felt:
Monkey Strips (SMT-3423, SMT-3424, SMT-3425)
YelloStripe BigBuffer Micro 3 (SMT-3491, wet installation)
YelloStripe BigBuffer Microfine 3 (SMT-3492, wet installation)
YelloStripe SlimSkin MicroFine 3 (SMT-3493, dry installation)
YelloStripe SlimSkin Micro 3 (SMT-3494, dry installation)



SMT-3178 | PROBASIC GOLD 4" HARD SQUEEGEE

The 4" Squeegee for signmaking teflon refined for higher performance with a special, smooth-sliding quality.

SMT-3179 | PROBASIC BLUE 4" SEMI-HARD SQUEEGEE

The 4" Squeegee for signmaking teflon refined for higher performance with a special, smooth-sliding quality.



**SMT-3146 | TEFLON CARD BLUE PT
SMT-3173 | TEFLON CARD PINK PT
SMT-3176 | TEFLON CARD GOLD PT
SMT-3107 | TEFLON CARD BLACK PT**

**SMT-3106 | TEFLON CARD WHITE PT
SMT-3175PT | TEFLON CARD PLATINA PT
SMT-3179 | TEFLON CARD PURPLE PT
SMT-3189 | TEFLON CARD PEACH PT**

Durable plastic squeegees from ProTools in different hardnesses: Blue & Purple – very soft, Black – medium soft; White & Pink & Peach–medium hardness, Gold & Platinum – hard



- SMT-3150 | YEL-LO PLEK HARD TEFLON SQUEEGEE 93" (WHITE)**
- SMT-3147 | YEL-LO PLEK VERY SOFT, FLEXIBLE SQUEEGEE 35" (BLACK)**
- SMT-3148 | YEL-LO PLEK MEDIUM SQUEEGEE 72" (GOLD)**
- SMT-3149 | YEL-LO PLEK SOFT, FLEXIBLE SQUEEGEE 40" (GREEN)**

This multi-function squeegee can be used for window films, car wrapping and paint protection film installation. Suitable for narrow and slightly curved surfaces and for lifting recesses and rubber seals. 93" hard Teflon , 72" medium, 40" soft, flexible, 35" very soft, flexible



- SMT-3151 | YEL-LO PLEK BLADE GOLD SQUEEGEES**
- SMT-3152 | YEL-LO PLEK BLADE ORANGE SQUEEGEES**

The Yel-Lo Plek Blade is an even thinner version than the Yel-Lo Plek squeegees. This makes it even easier with this special squeegee to perform applications in narrow bodywork areas and small corners. It can also be used to lift a wide variety of rubber seals or to work paint protection films into bumper recesses.

- SMT-3140 | DURA CHISEL**
- Plastic card with a strengthened edge for film removal. Similar to Lil Chizler but with a thicker edge.



- SMT-3105 | LIL CHIZLER**

Ideal for removing decals, film or adhesive from sensitive surfaces. Used for pressing down small film creases or air bubbles.

HINT: You can also use this tool for cleaning barbecue, no kiddin'.

- SMT-3109 | THE CHIZZLER**

One sized polycarbonate tool has proven invaluable for removing materials and applying others in tight corners.

HINT: Has a rigid edge and harder than the Lil Chizler, not as sharp, but much more durable.

- SMT-3145 | YELLOW CHISLER SOFT**

Small, very flexible squeegee for hard-to-reach spots.



- SMT-3113 | THE CONQUERER**

The Conquerer is the original corner reach tool. Features a soft squeegee blade along one edge and point hard card tips on the ends making it a versatile staple to any tool kit.

- SMT-3114 | BLUE CONQUERER**

Similar to the original Conquerer (SMT-3113) with a slightly harder durometer for more squeegeeing power.

- SMT-3186F | FELT SQUEEGEE**

The soft felt is designed to avoid scratching. Recommended for paint protection or vinyl graphic installations.



- SMT-3119 | EZ REACH**

With smooth edges and a precision point, this tool will enable you to lay down the film and push out creases in the tightest areas.

- SMT-3120 | GREEN CONTOUR**

Designed to match all those concave surfaces installers see every day. A great fit for window film, paint protection or vinyl installs. The elongated triangular shape gets into all those hard-to-reach areas. The softest version in the Contour range.

- SMT-3125 | CONTOUR YELLOW**

A universal squeegee which can be used for any film. It is especially popular with window tinters. The medium-hardness version in the Contour range.



- SMT-3143 | PLATINUM CONTOUR**

Universal squeegee, popular with window film installers. The hardest version in the Contour range.

- SMT-3144 | EZ WING PEACH**

A special triangular squeegee with a curved edge (for easier application), reinforced front tip (to reach deeper under seals), and a special top tip (for smoothing out wrinkles).

- SMT-3112W | GASKET PUSH STICK, WHITE**

- SMT-3112B | GASKET PUSH STICK, BLUE**

This tool is used for pushing down door window gaskets to assist in film installation on roll down windows.



SMT-3199 | ARLON GREY SQUEEGEE

Arlon grey squeegee for car wrapping films 10 pieces/pack.



SMT-3199-FELT | ARLON GREY SQUEEGEE FELT

Specially developed felt material for Arlon FLITE adhesive technology. Applied with gentle pressure, it perfectly processes the film.



SMT-3115 | SOTT THE HUSTLER

This cleverly shaped squeegee is a must for every installer. Its different sides make it extremely practical for pushing film under rubbers, into mirror housings or around roof racks without damaging the film.




SMT-3162 | YELLOTOOLS PROWRAP BETTY S32
SMT-3163 | YELLOTOOLS PROWRAP BETTY S40
SMT-3117 | YELLOTOOLS PROWRAP BETTY S65

The Pro Wrap Betty has been specially developed for car wrapping, thanks to the new 30° shape. Available in the following variants: Betty S32: 32 Shore D Betty S40: 40 Shore D Betty S65: 65 Shore D Recommended squeegee pads for this: SMT-3473, SMT-3474.



SMT-3116 | THE FACTOTUM II

The Factotum is the ultimate solution for those hard-to-reach spots that every installer encounters regularly. Both ends have different shapes so no crevice or gap poses a problem for this amazingly useful instrument. Strong and flexible.



SMT-3153 | FUSION GOLD REFLEX 15 CM
SMT-3154 | FUSION YELLOW REFLEX 15 CM

The Fusion Gold Reflex is an ergonomic plastic squeegee designed for everyday use. It features a curved design with a wide grip for stability, complemented by a finger support for comfortable handling. Measuring 15 cm, it has a pointed edge at one end, making it ideal for application in hard-to-reach areas and corners. The gold version is softer, while the yellow version is a harder type.

SMT-3155 | FUSION GOLD SIDE PIECE 10 CM
SMT-3156 | FUSION YELLOW SIDE PIECE 10 CM

The Fusion Side Piece squeegees ensure easy handling, thanks to their double finger support design: both the thumb and index finger have designated spots, making it much more comfortable to grip and work in hard-to-reach areas (such as corners) when applying film. The yellow version is harder, while the gold version is softer.



SMT-3184 | YELLOTOOLS APE DUORED

The squeegee fits perfectly in your hand and you feel comfortable with it right away. The two-layer construction gives stability and flexibility at the same time. Different edges of 30, 45 and 90 degrees allow different pressures to be applied. When window tinting, the liquid can be optimally worked out of the film and by simply turning the squeegee, the pressure can easily be increased. DuoGreen is harder, DuoRed is the softer version of this professional squeegee.




SMT-3185 | YELLOTOOLS APE DUOGREEN



SMT-3182 | PPF SANDWICH 4" SQUEEGEE

This squeegee, which is actually unusually thin for PPF or tinted film applications, is nevertheless stable enough to exert optimum pressure on the squeegee edge.



SMT-3194 | GREEN PPF SQUEEGEE FOR PAINT PROTECTION FILM APPLICATIONS
SMT-3196 | BLUE PPF SQUEEGEE FOR PAINT PROTECTION FILM APPLICATIONS
SMT-3195 | YELLOW PPF SQUEEGEE FOR PAINT PROTECTION FILM APPLICATIONS
SMT-3188 | PINK PPF SQUEEGEE FOR PAINT PROTECTION FILM APPLICATIONS

Green 85 durometer Blue 88 durometer Yellow 80 durometer, soft Pink 90 durometer, soft



SMT-3314 | APE FOAM POTION 1LITER

Perfectly coordinated bonding aid for paint protection films. Using this pH-neutral liquid for the installation of PPF is unparalleled! Biodegradable, skin-friendly and clinically tested. It allows fast adhesion after scraping; it contains no alcohol; it can be washed out very easily. Great to use with an Ape Duo Green or Ape Duo Red squeegee.



SMT-3315 | APE APPLE POTION 1LITER

Perfectly coordinated bonding aid for paint protection films. This liquid allows the film to "glide" perfectly on the one hand and on the other hand to fix and adhere quickly if desired. Even the removal of the film after a short time is possible without problems and makes possible corrections easier. Biodegradable, skin-friendly, pH-neutral, and clinically tested. Great to use with an Ape Duo Green or Ape Duo Red squeegee.



SMT- 3168-5 | PPF HORNET 5 CM
SMT- 3168-10 | PPF HORNET 10 CM
SMT- 3168-15 | PPF HORNET 15 CM

With the appearance of hydrophobic paint protection films, installers are in need of softer and more sliding squeegees. From this realization was PPF Hornet born, 2 softer squeegees molded on a harder carrier. Available in 3 sizes.



SMT-3308 | ORGANIC PPF GEL 5 L

Application gel developed for PPF. This gel has been developed to assure the least exposure to harmful chemicals of our fellow installers. Most products in the industry have a vast percentage of isopropyl alcohol (IPA) among their ingredients, our aim when developing the Organic PPF Gel was to find a much more installer friendly solution for installing.



C-COAT FILM-ON | PPF INSTALLATION GEL 500 ML

Professional installation solution for PPF films. Helps ensure easy film positioning and alignment while reducing the risk of bubbles and wrinkles during application. Enables faster, cleaner installation and delivers a premium-quality finish. Also suitable for window film installation. Recommended mixing ratio: 3–10 ml per 1 liter of water. The optimal dosage may vary depending on environmental conditions and surface characteristics.



SMT-3319 | SKYFOL DE-TACK GEL ADHESION-REDUCING SOLUTION 473 ML

A gel designed for air-release colored PPF films, providing full control during installation. It allows easy squeegeeing for precise positioning, then activates adhesive strength within a few hours—ensuring the film remains firmly in place.



C-COAT DE-TACK 473 ML

An adhesion-reducing solution for installing air-release, colored satin paint protection film (PPF). It helps prevent streaking caused by stretching, repositioning, and squeegeeing with exceptional effectiveness.



SMT-3318 | SKYFOL PPF SLIP INSTALLATION GEL 500 ML
FASTER, SMOOTHER FILM INSTALLATION

Skyfol PPF SLIP has been specially developed for the fast and easy installation of paint protection films. Its advanced formula ensures effortless positioning, reduces surface tension, and helps minimize bubbles and wrinkles during application.

Its use significantly speeds up the installation process while delivering an aesthetic, premium-quality finish. It can also be used as a general installation gel for window films.

Recommended dilution: 3–10 ml / 1 liter. The required amount may vary depending on surface characteristics, temperature, and humidity.


Dilute with filtered tap water at room temperature. For tack solution preparation, use distilled water at room temperature.



SMT-3320 | PRO BOND PRIMER

Adhesion-promoting liquid suitable for all film types, designed specifically for areas where extra bonding strength is needed. Ideal for tight gaps, small bonding surfaces, negative curves, and for supporting precise, clean installation of colored paint protection films. It is not intended for general use, but specifically for applications where stronger adhesion is required.

The liquid can be applied with a brush, cloth, or most precisely with the SMT-3321 refillable marker, available in three different sizes. Film can be installed after a drying time of 5–10 minutes.



SMT-3321 S/M/L | REFILLABLE MARKER

Refillable markers designed for easy filling with our Pro Bond primer, allowing fast, clean, and precise application to the surface. The markers are sold empty and are available in three different sizes. Their varying capacities and differently shaped tips make precise application possible from the smallest details to larger surfaces.



SMT-3224 | THE REACH SQUEEGEE

For sedan cars, squeegeeing at the bottom of the rear windshield is a very hard task. This revolutionary tool makes it so far the easiest to finish the material at hard-to-reach spots.



SMT-3278 | PPF BRUSH – A HANDLED SQUEEGEE WITH BRISTLES, 29 CM × 4.5 CM

Speed up the installation process with the PPF Brush. After applying the PPF film to the vehicle, use it to push out the water trapped beneath the film. It helps remove most of the water quickly, saving you valuable time.



SMT-3296 | FUSION AUTO STRETCH COMBO HANDLE & SQUEEGEE

The newest squeegee from Fusion Tools, developed specifically for hard-to-reach rear windshields. Compared to this, all previous solutions are just toys.



SMT-3215 | SCRUBBER

With the help of this tool, you can reach behind speakers and brake lights, and also remove adhesive residue from the lower section of curved rear windows.



SMT-3164 | YELLOTOOLS YELLOMINI HANG-LOOSE 45

Squeegee for hard-to-reach areas.



SMT-3165 | YELLOTOOLS YELLOMINI HANG-LOOSE 90

Squeegee for hard-to-reach areas.



SMT-3166 | YELLOTOOLS ALLSTAR BLUE

Squeegee for hard-to-reach areas with a unique shape.



SMT-3167 | YELLOTOOLS YELLOMINI GOLD

Squeegee for hard-to-reach areas with a unique shape.



SMT-3200 | 5-EDGED TOOL

The 5-Way Tool is great as a trim guide or wrap it in a paper towel to use it as a „bump tool“ to get water out



SMT-3427 | SUNNY TUCKER

Sunny Tucker is a tool specially designed for car wrapping. One end is perfectly fit for squeegeeing hard-to-reach edges, such as edges at doors and around headlights. The other end also makes squeegeeing easier at hard-to-reach spots.

ProToolsNow.com
ONE GREAT SITE FOR TOOLING AROUND

Pro Tools Now, designed by Bob Williams, has been helping installers since 1991. Every tool is designed personally by **Bob, who has been an installer himself for 30 years**, which means his tools are born out of practical needs. **Pro Tools Now is constantly developing as automotive shapes become more complex; at the same time**, beside tools for window films, PPF and wrapping accessories have also been introduced.



SMT-3128 | 4" SPEED WING LIME

SMT-3129 | 6" SPEED WING LIME

Squeegee with one straight and one slightly curved side, made from high quality materials for good slidability. Available in 10 cm and 15 cm versions.

SMT-3130 | 4" SPEED WING LEMON

SMT-3131 | 6" SPEED WING LEMON

SMT-3132 | 4" SPEED WING CHERRY


SMT-3133 | 6" SPEED WING CHERRY



SMT-3134 | GRIP-N-GLIDE YELLOW

SMT-3135 | GRIP-N-GLIDE ORANGE

Grip-N-Glide features an ergonomic handle with a high performance, interchangeable blade. For window film, car wrap and PPF applications.



SMT-3136 | GRIP-N-GLIDE YELLOW BLADE

SMT-3137 | GRIP-N-GLIDE ORANGE BLADE




SMT-3201 | RED TITAN

Allows longer reach, has a rigid structure for more water removal, and its unique design will easily lift inner and upper door seals.



SMT-3202 | SLAMMER

Used for cleaning corners and along gas-kets and wicking water out along borders. Easily reaches rear windows and sharp angled corners.



SMT-3203 | QUICK FOOT BLUE

A stiff squeegee with a handle for jobs that require medium reach. Slim and trim with an unwrapped handle.




SMT-3207 | BULLDOZER
SMT-3207G | GREEN BULLDOZER
SMT-3207 ECO | BULLDOZER ECO

The Bulldozer is used in automotive applications. It allows you to get to those hard to reach areas, such as behind speakers, brake lights, low angles and rear windows. Features a 15 cm squeegee blade and is 38 cm in overall length.



SMT-3206 | SIDE SWIPER

This squeegee is ideal for getting behind brake lights and in lower areas of rear win-dows.



SMT-3208 | SLIM FOOT

The Slim Foot has a slender design that can reach into tighter openings. This no rib squeegee helps reach behind brake lights and has a vinyl grip for secure handling.




SMT-3181 | FLEXI EDGE 6"

Double-edged tool for polyester film, va-por-coated materials, vinyl, tape, adhesi-ves, and most PSA applications. The rigid edge is for heavier jobs, while the thin rub-ber edge is ideal for thin films and helps prevent tearing and scratching.



SMT-3214 | AVERY FLEXTREME

The FleXtreme is a micro-squeegee specifically designed for vinyl graphics applications. The blue (harder) one is for narrow curves and edges. The red (softer) one is ideal in narrow, concave parts of a car.



SMT-3214ECO | TUCKING TOOL SET

The squeegee kit with three different hardnesses (blue - soft; red - medium; black - hard) was developed to reach hard-to-reach places, makes the work more enjoyable and faster, while also eliminating the need to remove certain elements.



SMT-3214BU | SINGLE TUCKING TOOL SOFT
SMT-3214R | SINGLE TUCKING TOOL MEDIUM
SMT-3214BK | SINGLE TUCKING TOOL HARD

The separate part of the SMT-3214 ECO, developed for using the squeegee in hard-to-reach places, makes the work more enjoyable and faster, while also eliminating the need to remove certain elements.



SMT-4141 | EDGE SEAL TAPE 13MMx50M

Special edge sealing tape, ideal for window film graphics, wrapping films and window films, especially for the sealing when the glass is larger than the roll width. High gloss, ultra clear PVC, 50 microns thick, permanent adhesive, 13mmx30M.



SMT-4142 | EDGE SEAL TAPE 13MMx50M MATTE BLACK

Special edge sealing tape, 50-micron cast PVC, matte black. Suitable for sealing edges of full wraps and for sealing the edges of window films or overlaps within glass panels.



SMT-3226-20 | FUSION HANDLE 20CM
SMT-3226-12,5 | FUSION HANDLE 12,5CM
SMT-3226-12,5S | FUSION HANDLE SHORT 12,5CM

Especially developed for Fusion Tools squeegees, this handle provides maximum power. Available for 12,5 cm and 20 cm squeegee blades as well as shorter version for 12,5 cm wide squeegees.



SMT-3291-20 | FUSION BIG MOUTH HANDLE 20CM
SMT-3291-12,5 | FUSION BIG MOUTH HANDLE 12,5CM

A high quality handle designed for the Red Line Extractor 3/8" thick blades to squeegee the thickest security films.

SMT-3292-20 | FUSION STRETCH 20CM
SMT-3292-12,5 | FUSION STRETCH 12,5CM

Special extended handle, 37 cm long ideal for 12,5 cm wide Fusion squeegee blades, enables you to apply pressure with 2 hands, resulting in even better water removal.

SMT-3293-20 | FUSION BIG MOUTH STRETCH 20CM
SMT-3293-12,5 | FUSION BIG MOUTH STRETCH 12,5CM

Extended (37 cm) squeegee handle, enabling application of pressure with 2 hands. Recommended for anti graffiti, thick security and front windshield protection films



SMT-3294 | FUSION 5 SHORTY

With a shorter handle and no parts standing out of the design, the Fusion 5 Shorty was specifically developed for automotive tinting. With this handle you can get into hard-to-reach spaces a lot easier, without damaging any parts.

SMT-3297 | CAST ALUMINIUM HANDLE

Cast aluminium handle with a short grip, suitable for all standard-thickness squeegees.

SMT-3298 | CAST ALUMINIUM LONG HANDLE

Cast aluminium handle with a long grip, suitable for all standard-thickness squeegees.




SMT-3256-20 | FUSION ORANGE CRUSH, BEVEL, 20CM
SMT-3256-12,5 | FUSION ORANGE CRUSH, BEVEL, 12,5CM

The Orange Crush is the original squeegee blade from Fusion Tools. Since its creation we have continued to better the formula for the Orange Crush, thus Orange Crush remained one of the favourite squeegees of the industry.

SMT-3225 | FUSION ORANGE CRUSH, CROPPED, 12,5CM

The Orange Crush is the original squeegee blade from Fusion Tools. Since its creation we have continued to better the formula for the Orange Crush, thus Orange Crush remained one of the favourite squeegees of the industry.




SMT-3257 | FUSION CLEAR CRUSH, BEVEL, 12,5CM

Designed for automotive window film installation, flexible enough to follow the form of the windscreen, yet stiff enough to bring the pressure for water removal. Available in rectangle and cropped.

SMT-3254-20 | FUSION FLAT OUT, BEVEL, 20CM
SMT-3254-12,5 | FUSION FLAT OUT, BEVEL, 12,5CM

Specially developed for architectural window film installation, an industry standard for thick films such as security and graffiti films. This 95 durometer squeegee is made with our triple slip additive injection molded patented TPU process and materials. Fits all standard Fusion Handles perfectly.




SMT-3227 | FUSION FLAT OUT, CROPPED, 12,5CM

Specially developed for architectural window film installation, an industry standard for thick films such as security and graffiti films. This 95 durometer squeegee is made with our triple slip additive injection molded patented TPU process and materials. Fits all standard Fusion Handles perfectly.

SMT-3255-20 | FUSION THE HYBRID, BEVEL, 20CM
SMT-3255-12,5 | FUSION THE HYBRID, BEVEL, 12,5CM


A Hybrid of 2 favourite squeegee blades in the industry, on one side it is an Orange 85 durometer squeegee blade and on the other side a harder Blue 95 durometer. This double blade features double beveled working edges.



SMT-3250-20 | FUSION RED LINE EXTRACTOR 1/4", BEVEL, 20CM
SMT-3250-12,5 | FUSION RED LINE EXTRACTOR 1/4", BEVEL, 12,5CM

SMT-3251-12,5 | FUSION RED LINE EXTRACTOR 1/4", CROPPED, 12,5CM

The Fusion Red Line normal thickness squeegees are the masters of water removal. Double beveled means that both sides can be used, resulting in double lifespan. No bevel profile gives you 4 edges to work with and is capable of extreme liquid removal, especially when working with thicker films. Using these blades in Fusion Handles will give you a tool that is efficient and fast to work with.



SMT-3252-20 | FUSION RED LINE EXTRACTOR 1/4", NO BEVEL, 20CM
SMT-3252-12,5 | FUSION RED LINE EXTRACTOR 1/4", NO BEVEL, 12,5CM

SMT-3253-20 | FUSION RED LINE EXTRACTOR 3/8", NO BEVEL, 20CM
SMT-3253-12,5 | FUSION RED LINE EXTRACTOR 3/8", NO BEVEL, 12,5CM


The Fusion Red Line normal thickness squeegees are the masters of water removal. Double beveled means that both sides can be used, resulting in double lifespan. No bevel profile gives you 4 edges to work with and is capable of extreme liquid removal, especially when working with thicker films. Using these blades in Fusion Handles will give you a tool that is efficient and fast to work with.



SMT- 3280-9 | FUSION TURBO PRO HANDLE WHITE 9CM
SMT- 3280-14 | FUSION TURBO PRO HANDLE WHITE 14CM
SMT- 3280-20 | FUSION TURBO PRO HANDLE WHITE 20CM

SMT- 3281-9 | FUSION TURBO PRO HANDLE GREY 9CM
SMT- 3281-14 | FUSION TRUBO PRO HANDLE GREY 14CM
SMT- 3281-20 | FUSION TRUBO PRO HANDLE GREY 20CM


The Fusion Turbo Pro series is the first injection molded triangular shaped squeegee in the world, which shows better slip, durability and more consistency than other models. All colors are available in 3 sizes (9, 14, 20 cm), any can be cut to custom size. Two different handles are available. The narrower white handle for those who prefer grabbing with fingertips and the larger grey handle, for those who prefer to hold it in their hand.



SMT- 3270-9 | FUSION TURBO PRO PINK 9CM
SMT- 3270-14 | FUSION TURBO PRO PINK 14CM
SMT- 3270-20 | FUSION TURBO PRO PINK 20CM

SMT-3271-9 | FUSION TURBO PRO GREEN 9CM
SMT-3271-14 | FUSION TURBO PRO GREEN 14CM
SMT-3271-20 | FUSION TURBO PRO GREEN 20CM

SMT-3272-9 | FUSION TURBO PRO BLACK 9CM
SMT-3272-14 | FUSION TURBO PRO BLACK 14CM
SMT-3272-20 | FUSION TURBO PRO BLACK 20CM



SMT- 3273-9 | FUSION TURBO PRO YELLOW 9CM
SMT- 3273-14 | FUSION TURBO PRO YELLOW 14CM
SMT- 3273-20 | FUSION TURBO PRO YELLOW 20CM

SMT- 3274-9 | FUSION TURBO PRO ORANGE 9CM
SMT- 3274-14 | FUSION TURBO PRO ORANGE 14CM
SMT- 3274-20 | FUSION TURBO PRO ORANGE 20CM

SMT- 3275-9 | FUSION TURBO PRO RED 9CM
SMT- 3275-14 | FUSION TURBO PRO RED 14CM
SMT- 3275-20 | FUSION TURBO PRO RED 20CM



SMT-3213 | UNGER + BLUE MAX

Ready-to-use installation squeegee that uses angled Blue Max (SMT-3211) and specially modified Unger Pro handle.




SMT-3211 | BLUE MAX

Installation squeegee for automotive and flat glass applications.



SMT-3222 | 5" BLUE MAX SQUEEGEE, STRAIGHT

One of the basic tools of the window film professional. Blue Max can be used very well to remove large quantities of water during installation. Slanted, straight edge



SMT-3222ECO | BLUE MAX BLADE

One of the basic tools of professionals working with window films, this is a squeegee that is very similar to the Blue Max. Perfectly suitable for displacing large amounts of water during installation. Cropped edge version with straight sides.




SMT-3223 | 5" BLUE MAX SQUEEGEE, SQUARE

One of the basic tools of the window film professional. Blue Max can be used very well to remove large quantities of water during installation. The square-edged squeegee is even stronger, recommended specifically for safety films



SMT-3218 | THE EXTRUDER

Aluminium profile to be fit into an Unger handle (SMT-1300), which provides an extra wide, 20-cm squeegee head and good stiffness. The handle and squeegee refills are available separately. Channel refill: SMT-3219.




SMT-3219 | 8" BLUE CHANNEL SQUEEGEE REFILL

Squeegee refill for The Extruder (SMT-3218).



SMT-3234 | STROKE DOCTOR

Thanks to its special form this tool can bring even pressure when applied in hard-to-reach spaces. Combined with the special Fusion blades (SMT-3235, SMT-3236) the efficiency can be further increased.



PPF

SMT-3228 | FUSION HAND DEE

With regular squeegee handles it was impossible to get to hard-to-reach places, thus the Fusion Hand Dee was born. As this handle is also widely used to squeegee paint protection film, we added 2 magnets that help to keep the film in position before squeegeeing.



PPF

SMT-3229 | FUSION PINK CLEAN, CROPPED, 12,5CM

The Pink Clean is the softest squeegee blade with Fusion Tools, specifically designed extremely flexible to easily conform to curved surfaces while squeegeeing. We recommend this blade for cleaning and squeegeeing purposes.



PPF

SMT-3170 | FUSION PPF BLACK OUT, CROPPED, 12,5 CM

Especially developed for paint protection films. The PPF Black Out features a high content of slip additives to help the tool slide easily across paint protection films.



PPF

SMT-3171 | FUSION PPF BLACK OUT, BEVEL, 12,5CM

Squeegee designed for paint protection film installations with additives promoting slideability. It fits into the Fusion Hand Dee handle.



PPF

SMT-3230 | FUSION CLEAR CRUSH, CROPPED, 12,5CM

Designed for automotive window film installation, flexible enough to follow the form of the windscreen, yet stiff enough to bring the pressure for water removal. Available in rectangle and cropped.




PPF

NEW

SMT-3295 | T-SHAPED, THREE-LAYER SQUEEGEE

T-shaped, three-layer squeegee, 10 cm in size; the black side is harder, the yellow side is softer. Excellent for installing paint protection films.



PPF

NEW

SMT-3299-7,5 SMT-3299-10 SMT-3299-12 | T-SHAPED BLACK SQUEEGEES

T-shaped, rubber-coated, soft, black squeegees in three different sizes: 7.5 cm, 10 cm, and 12 cm. Excellent for squeegeeing paint protection films, especially in harder-to-reach areas. Hardness of 90 durometer.




SMT-3403 | BLACK RUBBER SQUEEGEE

71 cm Squeegee tool used for glass cleaning, usually cut into smaller lengths before use.




SMT-3259 | MAGNETIC WRAP STICK


The WrapStick series was developed for squeegeeing at hard-to-reach spots. It makes your job more beautiful and easier, and also makes it unnecessary to remove certain elements.



SMT-3260 | MAGNETIC WRAP STICK



SMT-3261 | MAGNETIC WRAP STICK



SMT-3262 | MAGNETIC WRAP STICK

The WrapStick series was developed for squeegeeing at hard-to-reach spots. It makes your job more beautiful and easier, and also makes it unnecessary to remove certain elements.



SMT-3263 | MAGNETIC WRAP STICK



SMT-3264 | MAGNETIC WRAP STICK



SMT-3265 | MAGNETIC WRAP STICK

The WrapStick series was developed for squeegeeing at hard-to-reach spots. It makes your job more beautiful and easier, and also makes it unnecessary to remove certain elements.



SMT-3460 | YELLOTOOLS LACYTIP HD L BLUE

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



SMT-3461 | YELLOTOOLS LACYTIP HD L TEFLON BLUE

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



SMT-3462 | YELLOTOOLS LACYTIP HD XL RED

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



SMT-3463 | YELLOTOOLS LACYTIP HD XL TEFLON RED

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



SMT-3401 | HARD CARD SHARPNER

This handy device allows you to sharpen the edges of nearly any hard card, teflon card or bondo card in your tool box in a matter of seconds.




SMT-3439 | SMOOTH-IT BLACK

A tool for restoring squeegee edges. With fine tension, move the squeegee up and down to restore its edges. The black version is intended for more serious damages. Replacement insert: SMT-3441




SMT-3440 | SMOOTH-IT GREY

A tool for restoring squeegee edges. With fine tension, move the squeegee up and down to restore its edges. The grey version is intended for light damages. Replacement insert: SMT-3442



SMT-3441 | SMOOTH-IT SPARE MATS, BLACK

Replacement insert for SMT-3439. Black, intended for more serious damages.



SMT-3442 | SMOOTH-IT SPARE MATS, GREY

Replacement insert for SMT-3440. Grey, intended for light damages.



**SMT-3417XL | 9.5 L
PRESSURE TANK**

**SMT-3417XXL | 19 L
PRESSURE TANK**

Do you need to install ppf on an entire car? Working on a larger building project? Mix in the solution once and use this high-pressure compressor sprayer for the entire job. Capacity: 9.5 liters, 19 liters.

**SMT-3489 | STRONG HANDLE
METAL NOZZLE, 4 METERS
HOSE, 1 CONNECTION PART**

Professional extension tube with metal nozzle at the end, additional accessory for SMT-3417XL and XXL. Length: 4 meters

**SMT-3417 S | THERMO
SPRAYER TANK, 3.78 L**

Thermos-like container that keeps the solution warm for up to 24 hours. Features a quick connector for secure hose attachment. Package includes a battery-powered sprayer with pump, 2.5 m reinforced hose, and quick-connect system.



**SMT-3417 XL-LABEL-SKY
| SPRAYER TANK DECAL
SKYFOL 9.5 L**

A Skyfol-branded tank decal for a 9.5-liter sprayer tank. This product is for tank decoration only; the tank is not included. Please make sure to choose a tank and decal of the same size.



**SMT-3417 XXL-LABEL-SKY
| SPRAYER TANK DECAL
SKYFOL 19 L**

A Skyfol-branded tank decal for a 19-liter sprayer tank. This product is for tank decoration only; the tank is not included. Please make sure to choose a tank and decal of the same size.



**SMT-3417 XL-LABEL-STEK
| SPRAYER TANK DECAL
STEK 9.5 L**

A STEK-branded tank decal for a 9.5-liter sprayer tank. This product is for tank decoration only; the tank is not included. Please make sure to choose a tank and decal of the same size.



**SMT-3417 XXL-LABEL-STEK
| SPRAYER TANK DECAL
STEK 19 L**

A STEK-branded tank decal for a 19-liter sprayer tank. This product is for tank decoration only; the tank is not included. Please make sure to choose a tank and decal of the same size.



**SMT-3417 XL-LABEL-UPPF
| SPRAYER TANK DECAL
UPPF 9.5 L**

A UPPF-branded tank decal for a 9.5-liter sprayer tank. This product is for tank decoration only; the tank is not included. Please make sure to choose a tank and decal of the same size.



**SMT-3417 XXL-LABEL-UPPF
| SPRAYER TANK DECAL
UPPF 19 L**

A UPPF-branded tank decal for a 19-liter sprayer tank. This product is for tank decoration only; the tank is not included. Please make sure to choose a tank and decal of the same size.



**SMT-3418G
SMT-3418R
SMT-3418Y
SMT-3418B | KWAZAR MERCURY PRO+ SUPER
360 SPRAYER, 1 L**

A revolutionary novelty among sprayers, sprays also when the handle is released, and thanks to its flexible, weighted hose, even upside down. Capacity: 1 l



**SMT- 3479 | KWAZAR MERCURY PRO+ SUPER
360 SPRAYER 0.5 L**

While working on an installation, sprayers are often used tilted or upside down. This professional tool has a flexible hose, so it can be used upside down as well. It sprays also when the handle is released, which means half as many spray movements as with regular ones. Capacity: 0.5 l



**SMT- 3480 | KWAZAR VENUS PRO+ SUPER 360
SMT- 3482 | SPRAYER 1 L / 2 L**

Professional pump sprayer that keeps pressure very well. Thanks to its flexible hose, it can also be used upside down. With its adjustable nozzle, you can spray anywhere. This tool has an extra durable tank. Capacity: 1 l, 2 l



SMT- 3481 | KWAZAR ORION PRO+ SPRAYER 12 L

Will you install PPF on a full car? Are you working on a large surface architectural job? Mix the solution once and use the Kwazar Orion pump sprayer for the whole job. Capacity: 12 l



**SMT-3484 | KWAZAR VENUS PRO+ SOLVENT
SPRAYER 1.5 L**

It is used for solvent applications in car workshops, paint shops and industry. Very well suited for degreasing of brake discs and mechanical parts, removing silicone and wax from surfaces.



SMT-3483 | KWAZAR VENUS HD2 FOAMER BOX

Designed for application of foaming agents. It is used in car washes and car repair shops, particularly for car pre-washing or cleaning the rims and engine compartments. It can also be used for spot cleaning of building facades. Includes 3 tips for thick, medium and thin foam.



40cm

SMT-4308-40 | YELLOW-TOOLS LOWRIDER EXTENSION CHAIR, 40 CM

This extension chair is fully compatible with the YellowTools LowRider chair and can be used to extend the height by 40 cm.



25cm

SMT-4308-25 | YELLOW-TOOLS LOWRIDER EXTENSION CHAIR, 25 CM

This extension chair is fully compatible with the YellowTools LowRider chair and can be used to extend the height by 25 cm.



SMT-4308 | LLOTOOLS LOWRIDER CHAIR

Special chair developed for car wrapping, with wheels, magnet holders and storage space for tools. The low construction makes wrapping bumpers and skirts a lot more comfortable. With accessories, the height is adjustable.



SMT-3407 | YELLOW FILM MARKER PENCIL

Handy for three basic purposes: 1) marking film prior to installation of windows with unusual shapes; 2) circling a contaminate (hair or fiber) before pulling back the film; 3) marking film edges to check for glass movement on side roll-ups when trimming. Yellow grease mark easily wipes away.



SMT-3408 | THIN CORRECTING PEN

Used by installers to hide fine line mistakes in trimming which cause excess light intrusion at the film edge.



SMT-3409 | THICK CORRECTING PEN

Used by installers to hide fine line mistakes in trimming which cause excess light intrusion at the film edge.



SMT-3405 | AVERY MAGNET

The Magnet is a highly practical aid for holding and positioning graphics on a substrate. The strength of magnetic attraction is sufficient to replace masking tape.



SMT-3433 | VINYL MAGNET HOLDER

Magnet for film positioning, for a reasonable price



SMT-3434 | LARGE HOLDING MAGNET

Extra strong, large magnet to fix large film pieces or to store tools.



SMT-3431 | CARBON FIBER ANTI-STATIC GLOVE, SIZE XL

The glove is made of carbon fiber, with strong elasticity and moisture absorption. Due to its dust- and non-slip surface, it can be used for any kind of film installation, preventing the formation of dirt during the work process. Packed individually.



SMT-3412 | SOTT APPLICATION GLOVES - LARGE

Thanks to its white material, this application glove helps you to check whether the surface and/or the vinyl is clean. It is a perfect fit, which makes it practical for dealing with curved surfaces on cars. It is made of dust-free material, so even touching the adhesive of the vinyl will not cause any residue to be left behind.



SMT-3416 | WRAPPING GLOVES PRO

SMT-3416 XL | WRAPPING GLOVES PRO

The wrapping gloves are made of thick, cotton material. These products are also cut- and heat resistant. It helps to smooth the film on the surface and curves.



SMT-3420L | WRAPGLOVE

WrapGlove, highly praised by the signage industry, is now available in Europe. Try the original WrapGloves, manufactured in the USA.

HINT: These are some real durable wrapping gloves.



SMT-3454S/M/L/XL | SUPERGLOVE

The first gloves for the graphics industry that don't need to be wet, they slide perfectly also when dry. Extra durable, washable. Available in 4 sizes.




SMT-3467 | YELLOTOOLS WRAPFINGER

If you don't want to work in gloves but would welcome them on a finger, Wrap-Finger is for you.



SMT-3443 | SOAK SHIELD ROPE-ORIGINAL

Absorbent rope braid used for absorbing water running down behind the dashboard of a vehicle while installing film. Helping to protect the electronics and other parts from water damage. Can be reused as many times as needed.



SMT-3444 | SOAK SHIELD ROPE-MINI



SMT-3445 | SOAK SHIELD ROPE-XL

SKYFOL PPF WRAP the **HIGH end** **WRAPS**

MORE DURABLE THAN
PVC CAR WRAP FILMS

Innovation

PPFS FOR TRADITIONAL WET INSTALLATION
METHOD AND MATERIALS WITH AIR CHANNEL
TECHNOLOGY ARE ALSO AVAILABLE

In addition to films with the traditional wet installation method, we also offer air channel technology, enabling a dry installation process.

SELF-HEALING
FEATURE

NEW COLOURS AVAILABLE

- BETTER GLOSS THAN THE ORIGINAL FACTORY PAINTWORK!
- DURABLE PROTECTION COMBINED WITH STUNNING APPEARANCE, PERFECT GLOSSY COLOURS

EASILY ACCESSIBLE
FROM STOCK

UNIQUE STYLE

PROTECTION WITH UNPARALLELED ELEGANCE

Skyfol PPF Wrap not only protects the vehicle against damages but also provides a perfect glossy colour with a stunning appearance that turns heads wherever you drive the car.

AVAILABLE DIRECTLY FROM STOCK

A wide range of colours are available right away from stock. No need to give up your most precious colour just because it's not kept on stock! Got a damaged car with coloured PPF that needs fixing? Say goodbye to waiting for weeks and months to match the exact colour! It will be easy to replace with the in-stock films, accessible through your local exclusive Skyfol distributor! No need to buy a full roll, simply request the length in cut linear meters that suits your needs.

DISCOVER THE FUTURE OF CAR
WRAPPING—WHERE
PROTECTION MEETS PERFECTION.

**SMT-3429 | WEEDING HOOK**

Special hooked tool for removals and for film finishings.

**SMT-3464 | FLIPPER EDGE
SPECIAL TOOL FOR
FINISHING EDGES**

A tool for finishing the edges. Low-friction plastic for an easy use and aluminium material for durability.

**SMT-3496 | WRAP TWEEZER
DISC**

A pair of tweezers with a plate-shaped tip that is serrated in such a way that it grips the film securely, so it can be pulled perfectly without slipping out.

**SMT-3447 | FINE TIP CURVED**

Excellent quality tweezer with a pointed tip and slanted head.

**SMT-3466 | YELLOTOOLS
SIGNTWEEZER HOOK**

High-quality, pointed, angled-tip tweezer, length 13.4 cm.

**SMT-3498 | WRAPTWEEZER
SPADE**

A pair of tweezers with a plate-shaped tip that is serrated in such a way that it grips the film securely, so it can be pulled perfectly without slipping.

**SMT-3448 | FLAT AND
ROUND TIP**

Weeder with a curved tip for removals.

**SMT-3449 | SUPER FINE TIP**

Weeder with a pointed tip for removals.

**SMT-3497 | WRAP TWEEZER
SPADE**

A pair of tweezers with a plate-shaped tip that is serrated in such a way that it grips the film securely, so it can be pulled perfectly without slipping. The AutoLock variant can also be locked to keep your hands as free as possible.

**SMT-3465 | YELLOTOOLS
RUBBERLIFT**

A tool to lift rubber sealings, without scratches.

**SMT-3471 | YELLOTOOLS
YELLOBRUSH**

2-in-1: a brush for finishing the film on rivets on one end, a needle to punch bubbles on the other.

**SMT-3410 | SELF-ADHESIVE FELT LINE, 1.9 CM**

Self-adhesive felt stripe.

HINT: For those roll down windows that lack factory felt.

SMT-3411 | SELF-ADHESIVE FELT LINE, 3.8 CM

Self-adhesive felt stripe.

HINT: For those roll down windows that lack factory felt.

**SMT-3472 | YELLOTOOLS
YELLOSTRAP**

Toolstrap for the wrist with uniquely variable storage spaces.

**SMT-4301 | AVERY TOOLBELT**

With the help of Avery Toolbelt, your tools will always be at hand, you will not have to run around looking for them.

**SMT-3490 | YELLOSTRIPE FELT 3 METER**

Thick, padded self-adhesive felt. Recommended for wet installation, for lamination on soft plastic boards.

**SMT-3491 | YELLOSTRIPE BIGBUFFER MICRO 3 METER**

Thick, padded self-adhesive felt. Recommended for wet installation, alcantara-type, for lamination on even surfaces.

**SMT-3492 | YELLOSTRIPE BIGBUFFER MICROFINE 3 METER**

Thick, padded self-adhesive felt. Recommended for wet installation, for laminating films with sensitive surfaces.

**SMT-3493 | YELLOSTRIPE SLIMSKIN MICROFINE 3 METER**

Thin layer self-adhesive felt. Recommended for dry installation, for laminating films with sensitive surfaces.

**SMT-3494 | YELLOSTRIPE SLIMSKIN MICRO 3 METER**

Thin layer self-adhesive felt. Recommended for dry installation, alcantara-type, for lamination on even surfaces.

**SMT-3158 | AQUA BUFFER**

Special felt designed for the application of colored paint protection films. It provides excellent glide and ensures the right amount of pressure for optimal application results. Due to its material, it leaves minimal marks on the surface. Available in packs of 10.

PPF**SMT-3422 | THE MONKEY STRIP
SMT-3423 | THE MONKEY STRIP
SMT-3424 | THE MONKEY STRIP
SMT-3425 | THE MONKEY STRIP**

Self-adhesive felt developed by a car wrapping veteran. If you've tried it once, you'll never look for another felt.

- SMT-3422: 10 pcs/pack
- SMT-3423: 25 pcs/pack
- SMT-3424: 50 pcs/pack
- SMT-3425: 100 pcs/pack

**SMT-3413 | SOTT
WRAPEDGE-01 1MM
SET 12 PCS**

A clean wrapping result is partly dependent on easy squeegeeing without scratching. The WrapEdge has a special moisture-absorbent sponge layer for wet work, for an even better result. 1 mm thickness.

**SMT-3414 | SOTT
WRAPEDGE-02 2MM
SET 12 PCS**

A clean wrapping result is partly dependent on easy squeegeeing without scratching. The WrapEdge has a special moisture-absorbent sponge layer for wet work, for an even better result. 2 mm thickness.

**SMT-3437 | YELLOTOOLS
APE T-BUFFER BETTY WING
FILC**


This squeegee pad is made of a multi-layer, resistant material, which is recommended for PPF films. Thanks to the extremely slippery and durable pad surface, this makes it easy to squeegee away wrinkles created when squeezing out the adhesive fluid. The flexible squeegee pad contains a thick foam backing in the adhesive layer. Recommended for ProWrap Betty squeegees.

**SMT-3473 | YELLOTOOLS
YELLOWING BETTY MICRO
FIBRE**


Special material for the edge of any ProWrap Betty squeegee (SMT-3162, SMT-3163).

**SMT-3474 | YELLOTOOLS
YELLOWING SLIMSKIN
BETTY**

MicroFine material edge strips for ProWrap Betty squeegees (SMT-3162, SMT-3163). 5 pcs/pack

**SMT-3476 | BUFFER FELT**

Self-adhesive microfiber soft felt strip for squeegees, specially developed for sensitive materials.

**SMT-3499 | PPF BUFFER 4"**

Self-adhesive microfiber felt strips for squeegees, specifically recommended for installing paint protection films, designed for edges with a length of 9 cm.

PPF

**SMT-4112 | MAGNETIC TINT LIGHT**

It illuminates the glass surface, allowing air bubbles under the film to be easily detected. The device consists of an LED light source, a prism, and two magnets. The magnets must be placed on opposite sides of the glass; one magnet contains the light source with the prism, while the other, moved on the outer side, allows the illumination to be positioned. The product operates with 3 AAA batteries. Batteries are not included.

**SMT-4114 | LASER LABS M200 TINT METER**

Developed to directly measure the light transmission of vehicle glasses.

**SMT-4117 | TINT CHECK TC1800**

Measures visible light transmission on roll down windows. Small, easy-to-use, reliable instrument.

**SMT-4118 | EDTM SPECTRUM DETECTIVE METER**

Developed to demonstrate the performance of window films, shows the transmission of the different solar transmission ranges: ultraviolet, visible light, infrared. Runs on 9V batteries, portable.

**SMT-4119 | LS162 TRANSMISSION METER**

Developed to demonstrate the performance of window films, shows the transmission of the different solar transmission ranges: ultraviolet, visible light, infrared.

**SMT-4128 | MERLIN LAZER GLASS MEASUREMENT GAUGE**

An absolute necessity when making architectural application quotes. A laser guided glass thickness meter that will show you the thickness of the glass and air gaps. Also suitable for deciding if the glass pane is laminated or not.

**SMT-4103 | STEINEL HEATGUN HG2120 7,5 M CABLE**

A heatgun from the Steinel Professional series, with enhanced power and durability. 2200W output, 80-630°C, German design, equipped with a 7,5-meter cable to work more freely.

**SMT-4107 | HEATMASTER2 HEATGUN 3 M CABLE**

Heatmaster2 heatgun, 2000W, 450-600°C, with a 3-meter cable.

**SMT-4116 | THE JIFFY STEAMER**

A perfect help for installing PPF and chrome films and fixing them on the edges, as well as for removing a variety of films by softening the adhesive. This is a really durable device straight from the USA - it will work for you for a long time without any issues.

**SMT-4104 | FUSION AFTERBURN TAPE**

Highly heat-resistant up to 500 °C with one layer applied. Apply multiple layers to increase heat resistance. Self adhering, and it leaves no glue residue. Apply it to heat guns, steamers, etc. The tape stretches up to 300%


**SMT-4134 | IR LAMP - INFRARED HEATER TERM2000 GLV FOR CAR WRAPPING**

High-performance Infrared Heater with Safety Shutter for car wrapping, European-made. It simplifies working with rolled, multi-layer films and helps prevent overheating. The lamp can uniformly maintain heat over large surfaces.

**SMT-4105 | SOTT THE CORNERSEALER PEN**

CornerSealer is a practical pen-shaped device, the tip of which heats up in 10 seconds, which makes it useful for fixing the film at the edges and corners. To avoid overheating, it is enough to keep the tip on the film for a few seconds and you're done! It is important that the device is not switched on for more than 5 minutes!

It works with 2 AA batteries, which are not included in the package.




SMT-4150 SKY | SKYFOL GRAVELOMETER TESTING MACHINE

The Gravelometer device is intended to demonstrate the resistance of PPF materials to road debris. Rotating parts of the machine imitate the effect of road debris on a surface coated with the paint protection film, thus its protective feature will become clearly visible. CE certified device with Skyfol design.



PPF



PPF

SMT-4150 | GRAVELOMETER TESTING MACHINE

Undecorated Gravelometer for demonstrating the resistance of PPF materials to road debris.



SMT-4129 | FOUR-SIDED ROTATABLE SOLAR FILM TESTER

Rotatable, cost-effective demonstration device with glass samples for testing car glass films. With the help of the 150W infrared lamp, we can achieve visible results between tinted and untreated glass surfaces in terms of reflection, filtering UV rays and heat absorption.



SMT-4316 | PPF HY-RE TESTING MACHINE

A device designed to demonstrate the self-healing and water-repellent performance of paint protection films.



SMT-4125 | HEAT BOX

Device demonstrating the infrared transmission of window films. Space for two tinted glass samples that you can put under 2 infra-red bulbs, 150W each. Comes with 2 built in sensors that show the temperature as well as the temperature difference since the start of the test.




SMT-4125SKY | HEAT BOX SKYFOL

The Heat Box heat tester device is ideal for demonstrating the performance of window films. By applying heat from an infrared lamp, it displays the temperature change occurring within one minute, comparing two test glass panels: this can either be two panels with different films or one filmed and one non-filmed glass panel. CE certified device with Skyfol design.




SMT-4125GLO | HEAT BOX GLOBAL

The Heat Box heat tester device is ideal for demonstrating the performance of window films. By applying heat from an infrared lamp, it displays the temperature change occurring within one minute, comparing two test glass panels: this can either be two panels with different films or one filmed and one non-filmed glass panel. CE certified device with Global design.

**SMT-4318 | PLASTIC MODEL - CAR-SHAPED**

Car-shaped plastic model to be used to showcase car wrapping films. It measures 70×42 cm.

**SMT-4322 | BIG SIZE METAL CAR HOOD MODEL**


A metal model in the shape of a bonnet, which is used to illustrate different films. 55 cm high, 49 cm wide.

**SMT-4323 | SMALL SIZE METAL CAR HOOD MODEL**

A metal model in the shape of a bonnet, which is used to illustrate different films. 20 cm high, 18 cm wide.

**SMT-4125 GL | SET OF GLASS SAMPLES**

5 pieces of 3mm thick, deburred, clear glass samples that fit SMT-4125 Heat Box.

**SMT-4400 | GLASS HOLDER FOR 10 PCS GLASSES**

It gives an aesthetic appearance to the presentation of glass samples. Suitable for placing 10 samples.

**SMT-4325 | MINI WINDSHIELD GLASS KIT**

An aesthetically designed display tool for presenting film-applied glass samples. Suitable for holding four windshield samples and six side-window glass samples at the same time.

**SMT-3495BU | YELLOTOOLS WRAP-U-EZEE BUMPER**

The Wrap-U-ezee Bumper has been specially developed for film application on parts like bumper corners or very large parts.


**SMT-3495 | WRAP-U-EZEE**

With „Wrap-U-ezee“ protruding vehicle parts such as exterior mirrors or door handles can be easily wrapped without a „second pair of hands“.

**SMT-4200 | PLASTI DIP - BLACK**

Plasti Dip is a multi-purpose, air dry, special rubber coating. It can be easily applied by spraying.

HINT: If there is a white screw or a hinge on the car and you need to wrap full black, or you need to wrap a grill, it is time for Plasti Dip.

**SMT-4303L | SPEEDCLIP TO HOLD OPEN ROLLS, LARGE****SMT-4303S | SPEEDCLIP TO HOLD OPEN ROLLS, SMALL**

Speedclip to hold open rolls, 8 cm and 12 cm diameter.

**SMT-4306 | YELLOTOOLS GECKOPATCH M**

With the help of this tool you can make your magnet stick to even non metallic surfaces, like plastics, glass or aluminium.

**SMT-4307 | GECKOPATCH FLEXI**

With the help of this tool you can make your magnet stick to even non metallic surfaces, like plastics, glass or aluminium.


SMT-2303 | SMOOTH MASKING TAPE CLASSIC T60

High-quality masking tape that adheres well to various surfaces including metal, glass, plastic, and rubber.

Size: 19 mm x 50 m


SMT-2304 | SMOOTH MASKING TAPE CLASSIC T60

High-quality masking tape that adheres well to all surfaces including metal, glass, plastic, and rubber.

Size: 50 mm x 50 m


SMT-2306 | MASKING TAPE FOR DELICATE SURFACES

Special masking tape with adhesive that can be removed without leaving residue. Primarily recommended for applications where weaker adhesion is needed or where the surface is sensitive.

Size: 24 mm x 50 m


SMT-2320 | MASKING 4400 FINE LINE


Flexible, high-quality "gold" masking tape for extreme edges, corners, and lines. Can also be used as a fineline tape.

Size: 18 mm x 50 m


SMT-2321 | MASKING 4400 FINE LINE

Flexible, high-quality "gold" masking tape for extreme edges, corners, and lines. Can also be used as a fineline tape.

Size: 48 mm x 50 m


SMT-2322 | TRIM MASKING TAPE


Self-adhesive tape suitable for pulling windshield and door rubber seals. It can be used for all types of cars, perforated for easy tearing, with high adhesion strength. Perforation: at intervals of 45 mm in widths of 9 mm - 11 mm.

Size: 50 mm x 10 m.


SMT-2324 | MASKING 4900 EXTRA STRONG

UV and moisture resistant, excellent for both outdoor and indoor use. Provides excellent adhesion even on difficult surfaces, even at high temperatures.

Size: 48 mm x 50m


SMT-2326 | DOUBLE SIDED HSA MOUNTING TAPE 3200 BLACK HPX 6MM X 10M

Double-sided acrylic adhesive tape with strong adhesive properties. Provides strong bonding between different materials (metal, glass, and most plastics). Solvent-resistant and repositionable.


SMT-2323 | MASKING 4900 EXTRA STRONG

UV and moisture resistant, excellent for both outdoor and indoor use. Provides excellent adhesion even on difficult surfaces, even at high temperatures.

Size: 24 mm x 50m


SMT-2325 | DOUBLE SIDED PE MOUNTING TAPE 1MM 2400 BLACK 9MM X 10M

Double-sided foam adhesive tape. Provides strong bonding between different materials (metal, glass, and most plastics). Weather-resistant, suitable for long-term outdoor use.


SMT-2327 | DOUBLE SIDED HSA MOUNTING TAPE 3200 BLACK 9MM X 10M

Double-sided acrylic adhesive tape with strong adhesive properties. Provides strong bonding between different materials (metal, glass, and most plastics). Solvent-resistant and repositionable.



C-COAT VALUE

Basic ceramic coating; suitable for providing short-term basic protection for the paint or for annual renewal of existing C-Coat Pro coatings. Works well on glossy and matte paint protection films as well as car wrapping films. Durability of up to 12 months.



C-COAT PRO

Professional ceramic coating providing easy cleanability and protecting the car from various types of contaminants. Works excellently on both glossy and matte paint protection films as well as car wrapping films. Durability of up to 36 months.



C-COAT SPREADER

Specifically designed microfiber applicator for applying ceramic coatings, which can be easily slipped onto the hand, 3 pieces/box.



C-COAT GRAPHENE

Extreme stability, top-quality ceramic coating, the number one choice in the C-Coat range. The paint becomes extremely easy to clean, providing the strongest protection against various types of contaminants. Durability of up to 60 months.



C-COAT GLASS

Ceramic coating for glass, which creates an invisible water-repellent layer. It also resists dirt, making it easier to remove ice and bug residue.



C-COAT APPLICATOR

Traditional ceramic applicator sponge, 12 pieces/box.

C-COAT RESTORE

A high-performance ceramic coating developed specifically for paint protection films. It enhances the film's gloss, improves water repellency, and protects the surface even against corrosive contaminants that can cause discoloration of the film.



C-COAT GRAPHENE SHAMPOO

An extremely powerful cleaning concentrate, enriched with graphene, to be applied after pre-washing. Thanks to its graphene content, it provides a resistant hydrophobic layer on the car. Recommended dilution ratio: 1:50 - 1:100. Available in 0.473 l and 4 l sizes.



C-COAT JET WET COAT

Spray concentrate that can be easily and quickly sprayed directly onto the car after washing, then rinsed off. Its use enhances the effect, which can be felt even three months after application. Available in 0.473 l and 4 l sizes.



C-COAT CERAMIC SEALANT

Sprayable sealant that creates an extremely hydrophobic, smooth, and glossy surface. It enhances the performance of the PPF and existing ceramic coatings. The product can be used both wet and dry. Dilute at a ratio of 1:20 (wet application). Available in 0.473 l and 4 l sizes.



SMT-1113 | AVERY SUPREME WRAP CARE CLEANER 946 ML

A general cleaning agent for regular use, which removes dust, light dirt and fingerprints from the film.



SMT-1114 | AVERY SUPREME WRAP CARE POWER CLEANER 946 ML

This is a strong cleaning agent for difficult stains, such as bird droppings, road grime and tree sap.



SMT-1115 | AVERY SUPREME WRAP CARE SEALANT 946 ML

It creates a protective layer on the film surface, therefore stains, bird droppings and tree sap can be removed more easily.



Skyfol[®]
Film Solutions

BabyGuard Boost
window film



SKYFOL BABYGUARD BOOST is an exceptional window film in the industry: TPU based material, which is characterized by the simple installation of PPF, meanwhile it has outstanding heat protection. BabyGuard Boost was developed only for coupes and sedans (not suitable for vehicles with rear wiper); PPF-like installation method ensures fast work. No more crawling inside the car during installation; not to mention dot matrix and even the defroster will no longer be a problem.

The shade of BabyGuard Boost fits perfectly into the BabyGuard glass film series, allowing the BabyGuard Boost installed on the rear windshield to be combined with BabyGuard glass film on the side windows!

FEATURES OF THE FILM



Heat Rejection

Extrem IR filtering (92%) and blocking 99% of harmful UV radiation.



Easy Installation

Installation will be as fast as never before, thanks to TPU based material.



No more heat gun

The use of a heatgun will not be necessary, you do not need to be shrink the film.



Spotless

Say goodbye to dot matrix and defroster issues!



Scratch Cure

Microscratches will disappear from its patented surface coating.



Matching tint

Completely fits with the shades of BabyGuard window film series.